1


Science. Applied to Life.™

3M Aerospace Top products.



The Greatest Asset in Aerospace: A Reliable Partner.

You strive to reduce weight, improve rates and increase efficiency, in production and in the aircraft itself. 3M can help. For more than 70 years, we have quietly, passionately worked with leading professionals to solve some of the greatest challenges in the aerospace industry. Our work has resulted in a wide-ranging portfolio of aircraft solutions-films, adhesives, sealants and surface protection to name a few. But it also makes us the most valuable asset you can have in aerospace: a reliable partner. One with a curious nature, and a willingness to push beyond the status quo. One that's committed to helping you continually optimize costs throughout the entire cycle of aircraft design, production and maintenance. And, as one of the world's most ethical companies, 3M is equally committed to sustainable solutions that help you build and maintain the safest and most efficient aircraft in the world. Discover how 3M can partner with you.



Segment Solutions

> Interiors

With the right solutions, every challenge in aircraft interiors – every void, every bracket, every veneer and every monument – becomes an opportunity. Learn more now.

> Exteriors

Succeed on tighter timelines and budgets with high-quality aerospace sealants that have superb shop-handling characteristics, lower weight, reduce VOC's, offer fast cure times and meet various OEM approvals.

Structures

Optimizing designs, meeting stringent build-toprint requirements and cutting weight are just the start to truly setting you apart. Explore 3M aircraft structural solutions now.

> Propulsion

Fabricating and bonding to composites, hightemp adhesive films, surface protection... 3M has invented and reinvented in key areas of aircraft engine design and integration.

> MRO

From adhesives to abrasives and films, from tapes to safety products, 3M has a deep and extensive offering of solutions tailored specifically for the aerospace industry.

> Aircraft Painting

True excellence in aircraft painting requires products that work – not just at a glance, but below the surface and behind the scenes.3M delivers with a broad range of solutions for performance, reliability and added efficiency from strip/sand to surface prep to sealing.



Interior Component Fabrication

Bracket Bonding Adhesives

• 3M[™] Scotch-Weld[™] EC-7202

Core Reinforcement Compounds

- 3M[™] Scotch-Weld[™] Core Splice Adhesive EC-3500 B/A
- 3M[™] Scotch-Weld[™] Structural Void Filling Compound EC-3550 B/A FST

Edge and Void Fillers

- 3M[™] Scotch-Weld[™] Structural Void Filling Compound EC-3505 B/A FR
- 3M[™] Scotch-Weld[™] Structural Void Filling Compound EC-3550 B/A FST
- 3M[™] Scotch-Weld[™] Structural Void Filling Compound EC-3524 B/A FST

Insert Potting Compounds

 3M[™] Scotch-Weld[™] Epoxy Adhesive EC-3542 B/A FR

Sprayable Contact Adhesives

- 3M[™]Scotch-Weld[™]Adhesive EC-1357
- 3M[™] Scotch-Weld[™] Neoprene High Performance Rubber and Gasket Adhesive EC-1300/ EC-1300L

Structural Honeycomb Monument Build

- 3M[™] Scotch-Weld[™] Epoxy Adhesive EC-2815B/A FR
- 3M[™]Scotch-Weld[™]EC-9356 B/A FST
- 3M[™]Scotch-Weld[™]EC-9300 B/A FST
- 3M[™] Scotch-Weld[™] Epoxy Adhesive EC-3542 B/A FR

Thermoplastic Bonding

3M[™] Scotch-Weld[™] EC-7246-2 FST

Honeycomb Splicing and Edge Finishing

- 3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3074FST
- 3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3070 FST

Interior Part Assembly & Installation

• 3M[™] Scotch-Weld[™]EC-7202

- Floorboard Sealing
- 3M[™]Aerospace SealantAC-770 B
- 3M[™]Aerospace SealantAC-735 B

Corrosion Prevention

- 3M[™] Polyurethane Protective Tape 8658DL
- 3M[™] Polyurethane Protective Tape 8663DL
- 3M[™] Polyurethane Protective Tape 8657DL
- 3M[™] Polyurethane Protective Tape 8666

Thermal Acoustic Solutions

- Aircraft Damping Composites
- Overframe Blankets
- Carpet Pad
- · Primary Insulation

Temporary Protection

- 3M[™] PolyurethaneProtective Tape 8547
- 3M[™] PolyurethaneProtective Tape 8547-1



Surface Prep

Surface Pre-Treatment

3M[™] Surface Pre-Treatment AC-131BB & CB

Seal / Polysulfide Sealants

Fuel Tank Sealants

- 3M[™] Aerospace SealantAC-350
- 3M[™]Aerospace SealantAC-380

Fuselage Sealants

- · 3M[™] Aerospace SealantAC-770
- 3M[™] Aerospace SealantAC-735

Non Chromate Corrosion Inhibitive Sealants

3M[™] Aerospace SealantAC-735

Windshield Sealant

3M[™] Aerospace SealantAC-251

Adhesion Promoters

- 3M[™] Adhesion Promoter AC-160
- 3M[™] Adhesion Promoter AC-137
- 3M[™] Adhesion Promoter AC-132

Tamper Proof Sealing

 3M[™] Scotch-Weld[™] Tamper Proof Sealant EC-1252

Surface Protection and Enhancement

Structural Adhesive Surfacing and Lightning Strike Protection Films

- 3M[™] Scotch-Weld[™] Composite Surfacing Film AF 325 M & AF 325LS
- 3M[™] Scotch-Weld[™] Composite Surfacing Film AF 191XS
- 3M[™] Scotch-Weld[™] Composite Surfacing Film AF 536

Advanced Composite Protection 3M[™]Cocure films

- 3M[™] PolyurethaneProtective Tape 8730NA
- 3M[™] PolyurethaneProtective Tape 8732NA
- 3M[™] PolyurethaneProtective Tape 8734NA
- 3M™ BP-2220

Corrosion Prevention Tapes

- 3M[™] PolyurethaneProtective Tape 8658DL
- 3M[™] PolyurethaneProtective Tape 8663DL
- 3M[™] PolyurethaneProtective Tape 8657DL
- 3M[™] PolyurethaneProtective Tape 8686

Rotor Blade Tapes

- 3M[™] PolyurethaneProtective Tape 8542HS
- 3M[™] PolyurethaneProtective Tape 8545HS
- 3M[™] PolyurethaneProtective Tape 8663HS, Matte Black

Military Grade Tapes

- 3M[™] PolyurethaneProtective Tape 8667HS
- 3M[™] Polyurethane Protective Tape 8681HS

Commercial Grade Tapes

- 3M[™] Polyurethane Protective Tape 8671 and/or 8671HS
- 3M[™]Polyurethane Protective Tape 8672
- 3M[™] PolyurethaneProtective Tape 8673
- 3M[™] PolyurethaneProtective Tape 8674

Fuel Cell /Anti-Chafe Tapes

3M[™] PolyurethaneProtective Tape 8544

FOD Impact Protection Tapes

3M[™] PolyurethaneProtective Tape 8641

Indoor Grade Tapes

- 3M[™] PolyurethaneProtective Tape 8560
- 3M[™] PolyurethaneProtective Tape 8561
- 3M[™] PolyurethaneProtective Tape 8562

Paint Replacement

- 3M[™] Surface Protection Film 3952
- 3M[™] Paint Replacement Tape 5004

Temporary Protection Tapes

- 3M[™] PolyurethaneProtective Tape 8547
- 3M[™] PolyurethaneProtective Tape 8547-1

Thermoformed Protection Boots

- Custom made with aircraft specific part number
- Typical application areas:Radome,winglet, antenna leading edge protection, fairings, light/ lens protection, landing gear

Urethane Repair Pastes/ Edge Sealers

- 3M[™] Scotch-Weld[™] Repair Paste 2110
- 3M[™] Scotch-Weld[™] Repair Paste 2220

Application Accessories

- 3M[™] Protective Tape Application Solution
- 3M[™]Adhesion Promoter 86A

Structures

Composite Part Fabrication

Composite Resins

- 3M[™] Matrix Resin4891
- 3M[™] Matrix Resin2897

Advanced Composite

Protection Cocure Films

- 3M[™] PolyurethaneProtective Tape 8730NA
- 3M[™] PolyurethaneProtective Tape 8732NA
- 3M[™] PolyurethaneProtective Tape 8734NA

Repair Paste / Edge Sealers

- 3M[™] Scotch-Weld[™] Repair Paste 2110
- 3M[™] Scotch-Weld[™] Repair Paste 2220

Structural Adhesive Films

- 3M[™] Scotch-Weld[™] Structural Adhesive Film AF 126 and AF 126-2
- 3M[™] Scotch-Weld[™] Structural Adhesive Film AF 163-2
- 3M[™] Scotch-Weld[™] Structural Adhesive Film AF 3109-2
- 3M[™] Scotch-Weld[™] Structural Adhesive Film AF 555
- 3M[™] Scotch-Weld[™] Structural Adhesive Film AF 191
- 3M[™] Scotch-Weld[™] Structural Adhesive Film AF 131-2

Structural Adhesive Composite Surfacing Films

- 3M[™] Scotch-Weld[™] Composite Surfacing Film AF 325 M
- 3M[™] Scotch-Weld[™] Composite Surfacing Film AF 536

Structural Adhesive Lightning Strike Protection Film

- 3M[™] Scotch-Weld[™] Composite Surfacing Film AF 325LS
- 3M[™] Scotch-Weld[™] Composite Surfacing Film AF 536

Honeycomb Void Filler

- 3M[™] Scotch-Weld[™]Void Filling and Edge Sealing Compound EC-3500 B/A
- 3M[™] Scotch-Weld[™]Void Filling and Edge Sealing Compound EC-3500-2 B/A
- 3M[™] Scotch-Weld[™]Void Filling and Edge Sealing Compound EC-3524 B/A

Edge Sealers

- 3M[™] Scotch-Weld[™] Epoxy
- Adhesive EC-2216B/A Gray • 3M[™] Scotch-Weld[™] Epoxy
- Adhesive EC-3333 B/A

rasie Auriesiv

- 3M[™] Scotch-Weld[™] Epoxy Adhesive EC-2214
- 3M[™] Scotch-Weld[™] Epoxy Adhesive EC-2615 B/A
 3M[™] Scotch-Weld[™] Structural
- Epoxy Adhesive EC-9323-2 B/A
- 3M[™] Scotch-Weld[™] Structural Epoxy Adhesive EC-2792 B/A

Core Splice Structural Adhesive Films

- 3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3002
- 3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3028 and AF 3028FR
- 3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3074 FST

Metal Component Fabrication

Structural Adhesive Films

- 3M[™] Scotch-Weld[™] Structural Adhesive Film AF 126 and AF 126-2
- 3M[™] Scotch-Weld[™] Structural Adhesive Film AF 163-2
- 3M[™] Scotch-Weld[™] Structural Adhesive Film AF 3109-2
- 3M[™] Scotch-Weld[™] Structural Adhesive Film AF 555
- 3M[™] Scotch-Weld[™] Structural Adhesive Film AF 191
- 3M[™] Scotch-Weld[™] Structural Adhesive Film AF 131-2

Surface Pre-Treatment

 3M[™] Surface Pre-Treatment AC-130-2

Structural Adhesive Bond Primers

- 3M[™] Scotch-Weld[™] Structural Adhesives Primer EC-3917
- 3M[™] Scotch-Weld[™] Structural Adhesives Primer EC-3924B
- 3M[™] Scotch-Weld[™] Structural Adhesives Primer EW-5000
- 3M[™] Scotch-Weld[™] Structural Adhesives Primer EW-5000AS
- 3M[™] Scotch-Weld[™] Structural Adhesives Primer EW-5005

Paste Adhesives

- 3M[™] Scotch-Weld[™] Epoxy Adhesive EC-2214
- 3M[™] Scotch-Weld[™] Epoxy Adhesive EC-2615 B/A
- 3M[™] Scotch-Weld[™] Urethane Adhesive EC-3587
- 3M[™] Scotch-Weld[™] Structural Epoxy Adhesive EC-9323-2 B/A

Core Splice Structural Adhesive Films

- 3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3002
- 3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3024
- 3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3074FST

Assembly & Completions

Paste Adhesives

- 3M[™] Scotch-Weld[™] Epoxy Adhesive EC-2214
- 3M[™] Scotch-Weld[™] Epoxy Adhesive EC-2615 B/A
- 3M[™] Scotch-Weld[™] Urethane Adhesive EC-3587
- 3M[™] Scotch-Weld[™] Structural Epoxy Adhesive EC-9323-2 B/A
- 3M[™] Scotch-Weld[™] Structural Epoxy Adhesive EC-2792 B/A

Liquid Shim Adhesives

• 3M[™] Scotch-Weld[™] EC-7272B/A

• 3M[™] Scotch-Weld[™] EC-7202

Polysulfide Sealants

• 3M[™]Aerospace SealantAC-380

Tamper Proof Sealants

• 3M[™] EC-1252

Propulsion

Engine Components

Surface Pre-Treatment

 3M[™] Surface Pre-Treatment AC-130-2

Structural Adhesive Bond Primers

- 3M[™] Scotch-Weld[™] Structural Adhesives Primer EC-3917
- 3M[™] Scotch-Weld[™] Structural Adhesives Primer EC-3924B
- 3M[™] Scotch-Weld[™] Structural Adhesives Primer EW-5005

Structural Adhesive Films and Pastes

- 3M[™] Scotch-Weld[™] Structural Adhesive Film AF 163-2
- 3M[™] Scotch-Weld[™] Structural Adhesive Film AF 3109-2
- 3M[™] Scotch-Weld[™] Structural Adhesive Film AF 191
- 3M[™] Scotch-Weld[™] Epoxy Adhesive EC-3448

Advanced Composite ProtectionCocure Films

- 3M[™] PolyurethaneProtective Tape 8730NA
- 3M[™] PolyurethaneProtective Tape 8732NA
- 3M[™] PolyurethaneProtective Tape 8734NA

Urethane Repair Pastes

- 3M[™] Scotch-Weld[™] Repair Paste 2110
- 3M[™] Scotch-Weld[™] Repair Paste 2220

Fan Track Abradable / Void Fillers

- 3M[™] Scotch-Weld[™]Void Filling and Edge Sealing Compound EC-3524 B/A
- 3M[™] Scotch-Weld[™]Void Filling and Edge Sealing Compound EC-3500 B/A

Propulsion content continues overleaf

Composite Resins

- Matrix Resin2894
- Matrix Resin2896

Nacelle

Surface Pre-Treatment

• 3M[™] Surface Pre-Treatment AC-130-2

Structural Adhesive Bond Primers

- 3M[™] Scotch-Weld[™] Structural Adhesives Primer EC-3917
- 3M[™] Scotch-Weld[™] Structural Adhesives Primer EC-3924B
- 3M[™] Scotch-Weld[™] Structural Adhesives Primer EW-5005

Structural Adhesive Films and Pastes

- 3M[™] Scotch-Weld[™] Structural Adhesive Film AF 163-2
- 3M[™] Scotch-Weld[™] Structural Adhesive Film AF 3109-2
- 3M[™] Scotch-Weld[™] Structural Adhesive Film AF 191
- 3M[™] Scotch-Weld[™] Epoxy Adhesive EC-3448

Core Splice Structural Adhesive Films

- 3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3002
- 3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3024
- 3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3028
- 3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3074 FST

Advanced Composite Protection Cocure Films

- 3M[™] PolyurethaneProtective Tape 8730NA
- 3M[™] PolyurethaneProtective Tape 8732NA
- 3M[™] PolyurethaneProtective Tape8734NA

Urethane Repair

- 3M[™] Scotch-Weld[™] Repair Paste 2220
- 3M[™] Scotch-Weld[™] Repair Paste 2110

Fan Track Abradable / Void Fillers

- 3M[™] Scotch-Weld[™] Core Splice Adhesive EC-3524 B/A
- 3M[™] Scotch-Weld[™] Core Splice Adhesive EC-3500 B/A

Structural Adhesive Surfacing and Lightning Strike Protection Films

- 3M[™] Scotch-Weld[™] Composite Surfacing Film AF 325 M & AF 325LS
- 3M[™] Scotch-Weld[™] Composite Surfacing Film AF 191XS
- 3M[™] Scotch-Weld[™] Composite Surfacing Film AF 536

Paint Applique Film

- 3M[™] Paint Replacement Tape 5004
- 3M[™] Surface Protection Film 3952

Thermoformed Boots

• FP 151, FP 231, FP 232



Propulsion

Fan Blades

Surface Pre-Treatment

 3M[™] Surface Pre-Treatment AC-130-2

Structural Adhesive Bond Primers

- 3M[™] Scotch-Weld[™] Structural Adhesives Primer EC-3917
- 3M[™] Scotch-Weld[™] Structural Adhesives Primer EC-3924B
- 3M[™] Scotch-Weld[™] Structural Adhesives Primer EW-5005

Structural Adhesive Films

- 3M[™] Scotch-Weld[™] Structural Adhesive Film AF 191
- 3M[™] Scotch-Weld[™] Structural Adhesive Film AF 163-2
- 3M[™] Scotch-Weld[™] Structural Adhesive Film AF 3109-2

Structural Adhesive Composite Surfacing Films

- 3M[™] Scotch-Weld[™] Composite Surfacing Film AF 325 M
- 3M[™] Scotch-Weld[™] Composite Surfacing Film AF 536

Advanced Composite Protection Cocure Films

- 3M[™] PolyurethaneProtective Tape 8730NA
- 3M[™] PolyurethaneProtective Tape 8732NA
- 3M[™] PolyurethaneProtective Tape 8734NA

Urethane Repair Pastes

- 3M[™] Scotch-Weld[™] Repair Paste 2110
- 3M[™] Scotch-Weld[™] Repair Paste 2220

Composite Resins

- Matrix Resin4891
- Matrix Resin2896

Rotor Blades

Surface Pre-Treatment

 3M[™] Surface Pre-Treatment AC-130-2

Structural Adhesive Bond Primers

- 3M[™] Scotch-Weld[™] Structural Adhesives Primer EC-3924B
- 3M[™] Scotch-Weld[™] Structural Adhesives Primer EC-3917
- 3M[™] Scotch-Weld[™] Structural Adhesives Primer EC-1660
- 3M[™] Scotch-Weld[™] Structural Adhesives Primer EW-5005

Structural Adhesive Films

- 3M[™] Scotch-Weld[™] Structural Adhesive Film AF 3109-2
 3M[™] Scotch-Weld[™] Structural
- Adhesive Film AF 163-2 • 3M[™] Scotch-Weld[™] Structural
- Adhesive Film AF 191
- 3M[™] Scotch-Weld[™] Epoxy Adhesive AF 30

Core Splice Structural Adhesive Films

- 3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3024
- 3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3002
- 3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3028
- 3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3074 FST

Advanced Composite Protection Cocure Films

- 3M[™] PolyurethaneProtective Tape 8730NA
- 3M[™] PolyurethaneProtective Tape 8732NA
- 3M[™] PolyurethaneProtective Tape 8734NA

Polyurethane Protection Films and Tapes

- 3M[™] PolyurethaneProtective Tape 8545HS
- 3M[™] PolyurethaneProtective Tape 8542HS
- 3M[™] Polyurethane Protective Tape 8999 K11Rotor Blade Protection Kit
- UH-60M: SJ8542HS FP641Patch

Urethane Repair Pastes

- 3M[™] Scotch-Weld[™] Repair Paste 2220
- 3M[™] Scotch-Weld[™] Repair Paste 2110

Thermoformed Boots

- FP637, FP532, FP557, FP558, FP595
- 3M[™] PolyurethaneProtective Boot SJ8542HS FP637
- 3M[™] PolyurethaneProtective Tape SJ8542HS FP641(UH-60M)



Abrasives

- · Abrasives for Structural Repair
- · Light Corrosion and Sealant Removal
- Sand Fairings and Flight Control
- Abrasives for Composites
- · Decal and Placard Removal on Metal
- Metal Stress Relieving

Aircraft Painting

- · Chemically Strip and/or Sand
- Surface Preparation and Primer
- Application
- · BaseCoat and Paint Application, Striping, Livery and Clear Coat Detail Finish and Repair

Cleaning

- General Cleaning
- Interior
- Exterior
- · Seat Track Cleaning
- · Borehole Cleaning Oxygen Line Cleaning

Composite Repair

- Tapes for Composite Repair
- . Adhesives for Composite Repair
- · 3M[™] Scotch-Weld[™] Epoxy Adhesives and Accessories

Corrosion Management

- Wet Area Corrosion Prevention
- · Abrasives for Corrosion Removal

Electrical Systems and Maintenance

Tapes

Engine Overhaul

- Metal Stress Relieving .
- Surface Protection Film Repair • Abradable Compound
- Fluid Containment

Personal Safety

- High Noise Environments
- Fall Protection Safety
- · Head, Eye and Face Protection
- **Respiratory Exposures**
- Welding Safety
- Confined Spaces

Sealing, Bonding and Joining

- · Sealants
- Sealant Removal
- Bonding
- Joining
- Cargo Compartment Sealing
- · Decorative Laminate Bonding

Specialty and ProcessingAid Tapes

- Adhesion Testing Tapes
- Temporary PartMarking
- Metal Processing Tapes
- Welding Protection Tapes
- Media Blasting
- Floor Marking Tapes
- · Vibration Damping Tapes

Surface Protection

- · Temporary Protection for Parts, Carpets or Facilities
- Erosion Protection and Edge Sealing
- **Chemical Protection**
- Impact Protection
- · Chafing Protection




Chemically Strip and/or Sand

Surface Preparation and Primer Application

BaseCoat and Paint Application, Striping, Livery and **Clear Coat**

Detail Finish and Repair

Aircraft Interiors Component Fabrication



Go above and beyond with 3M's aircraft interior solutions designed to boost assembly efficiency and out-perform most materials used in aircraft construction. 3M's low-density compounds are some of the lightest on the market, offer reduced voids and are built tough. Streamline operation with solutions designed to fit your process. 9

Aircraft Interiors Part Fabrication

Bracket Bonding Adhesives

- · Simple two-step process, apply and bond without using fixtures
- · Instant hold with no sag or mess
- · Low-flow for use in vertical or overhead applications





Core Reinforcement Compounds

- Superior compressive strength
- Excellent performance over a wide temp range
- Some meet Fire Retardant (FR)per 14CFR25.853 and others meet Flame Smoke Toxicity (FST)requirements

Edge and Void Fillers


- Savesweight with one of the lightest pumpable/extrudable Fire Retardant (FR)void filler in the industry
- · Industry-leading combination of density with compression strength
- Some meet FR per 14CFR25.853 and others meet Flame Smoke Toxicity (FST) requirements





Insert Potting Compounds

- High torque resistance ideal for inset potting application
- Fastcure and lightweight options available
- Fire Retardant (FR) compliant per 14CFR25.853 (a)






Aircraft Interiors Part Fabrication

Sprayable Contact Adhesives

- · Bondsto flexible foams, wood, fabric, plastic and metal surfaces
- · Can be applied by spray, brush or roller
- · Applications include bonding of decorative veneer, gaskets and de-icing boots

Structural Honeycomb Monument Build

- · Mechanical properties help to achieve high durability and light-weighting goals
- · Variable cure and worklife options at room temperature
- Fire Retardant (FR) and Flame Smoke Toxicity (FST) options available




Thermoplastic Bonding

- Flame Smoke Toxicity (FST) options are available

Honeycomb Splicing and Edge Finishing

- · Repeatable expansion rates add consistency to the parts
- · Up to six months shelf life and shop life at room temperature
- Core splice adhesive film can be cured at 120°C or 180°C with service temperatures from -55°C to 135°C









Component Fabrication - Top Products

Bracket Bonding Adhesives

3M[™] Scotch-Weld[™] EC-7202 – *No-sag eliminates* support fixtures to help reduce waste and save time

Core Reinforcement Compounds

3M[™] Scotch-Weld[™] Core Splice Adhesive EC-3500 B/A – Superior compressive strength of 6000 psi (41MPa) with only 0.64 g/cm density

3M[™] Scotch-Weld[™] Structural Void Filling Compound EC-3550 B/A FST – *Meets Airbus FST (Flame, Smoke, Toxicity) Requirement, ABD-0031*

Edge and Void Fillers

3M[™] Scotch-Weld[™] Structural Void Filling Compound EC-3505 B/A FR – Very low density, FR(Fire Retardant)

3M[™] Scotch-Weld[™] Structural Void Filling Compound EC-3550 B/A FST – *Meets Airbus FST(Flame, Smoke, Toxicity) Requirement, ABD-0031*

3M[™] Scotch-Weld[™] Structural – Void Filling Compound EC-3524 B/A FST- Very low density, FST

Insert Potting Compounds

3M[™] Scotch-Weld[™] Epoxy Adhesive EC-3542 B/A FR– *Two-part epoxy potting compound, fire retardant, with fast gel and cure time at room temperature*

Sprayable Contact Adhesives

3M[™] Scotch-Weld[™] Adhesive EC-1357-*Polychlororoprene Based Adhesive, Sprayable*

3M[™] Scotch-Weld[™] Neoprene High Performance Rubber and Gasket Adhesive EC-1300/ EC-1300L

Structural Honeycomb Monument Build

3M[™] Scotch-Weld[™] Epoxy Adhesive EC-2815B/A FR– Maximum mechanical strength for overhead luggage bins, stowage panels and monuments. Work life is 60 min

3M[™] Scotch-Weld[™] EC-9356 FST – Fast cure option compared to EC-9300 FST

3M[™] Scotch-Weld[™] EC-9300 FST– Bestchoice for ditch and pot applications

3M[™] Scotch-Weld[™] EpoxyAdhesive EC-3542 B/A FR– Fast flow and strong mechanical performance for easy panel forming. Work life is 30 min

Thermoplastic Bonding

3M[™] Scotch-Weld[™] EC-7246-2 FST– Excellentflow control for vertical applications. Not formulated with Antimony-Trioxide

Honeycomb Splicing and Edge Finishing

3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3074FST. *Low Density Expanding Core Splice Film with FST (Flame, Smoke, Toxicity) Resistance*


3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3070 FST. Low Density Expanding Core Splice Film with FST (Flame, Smoke, Toxicity) Resistance



Other 3M Products (consumables)

To aid in your bonding, use 3M[™]Polyester Tapes 875 and 876. Thesenon-silicone tapes provide a secure hold for composite parts manufacturing and metal bonding processes, even when exposed to high temperatures. In addition, they're easy to apply and remove cleanly, leaving no residue.

Aircraft Interiors Part Assembly & Installation



Everything you need to assemble your interior and complete the best-in-class design - from edge and void fillers, bracket-bonding, insert bonding, to corrosion prevention, sealants and thermal acoustic products. We have the complete solution to create a lighter, safer and quieter aircraft.

Aircraft Interiors Interior Part Assembly & Installation

Bracket Bonding

- · Simple two-step process, apply and bond without having to use fixtures
- Instant hold with no sag or mess
- · Low-flow for use in vertical or overhead applications

Floorboard Sealing

- · Polysulfide sealant fills voids and seals fuse lages
- · Offers outstanding resistance to jet fuel, chemicals and petroleum products
- Fast cure, tack free in as little as 3 hours
- · Low non-volatile content to reduce shrinkage and rework
- · Easyto apply and work with

Corrosion Prevention

- · Prevent fluids from reaching floorbeams and other metal structures
- · Highly durable, puncture-resistant and Fire Retardant (FR) rated
- Conformable and easy to apply

Thermal Acoustic Solutions

- Thermal and Acoustic kits and materials to improve cabin comfort
- Supplemental Type Certificate (STC)kits available for a variety of aircraft
- PartsManufacturer Approval (PMA)certified materials


Temporary Protection Tapes

- Easyremoval without surface residue
- Flame resistant
- Conform to curved and uneven surfaces

*Information on this page includes products from Aearo Technologies LLC, a 3M company. Pleaseensure products meet all applicable specifications, standards, and maintenance manual requirements for the platform being worked on and validate all aircraft approvals against current technical documentation.







Interior Part Assembly & Installation – Top Products

Bracket Bonding

3M[™] Scotch-Weld[™] EC-7202 – *No-sag eliminates* support fixtures to help reduce waste and save time

Floorboard Sealing

3M[™] Aerospace SealantAC-770 B 3M[™] Aerospace SealantAC-735 B

Corrosion Prevention

3M[™] PolyurethaneProtective Tape 8658DL – Flame resistant tape meets FAR 25.852 for aircraft interior burn certifications and is used to seal floor panels

3M[™] PolyurethaneProtective Tape 8663DL – *Moisture* barrier tape that is used in wide areas or seam sealing applications and passesburn testing as a sandwich construct

3M[™] Polyurethane Protective Tape 8657DL – For wet-area corrosion prevention areas such as aircraft lavatories and galleys. Flame resistant tape meets FAR25.852 for aircraft interior burn certifications and is used for wide area applications

3M[™] Polyurethane Protective Tape 8666

Thermal Acoustic Solutions

Aircraft Damping Composites – a low surface weight, high-performing aircraft damping composite for structural applications optimized across a variety of temperature ranges

Carpet Pad – An under-carpet cushion, acts as an acoustic barrier and absorber in addition to helping provide thermal comfort

Primary Insulation - Encapsulated fiberglass bags are thermally and acoustically tuned, and control both fiber fly and moisture

Temporary Protection Tapes

3M[™] Polyurethane Protective Tape 8547-1- Protects components from surface damage during manufacturing and transportation, and removes cleanly from a variety of substrates



Other Featured Products

3M Aerospace Paste Adhesives are available in a variety of work life, cure time and density to fit your specific design. Contact your local 3M sales representative or aerospace authorized distributor for more information.

Pleaseensure products meet all applicable specifications, standards, and maintenance manual requirements for the platform being worked on and validate all aircraft approvals against current technical documentation. CLICK FORONLINE PRODUCTINFORMATION

Aircraft Exteriors Surface Prep



Succeed on tighter timelines and budgets with high-quality aerospace sealants that have superb shop-handling characteristics, light-weight, low VOC, fast cure times and various OEM approvals.

reduction initiativesAllows for total cost reduction; helps reduce shrinkage and rework

Non Chromate Corrosion Inhibitive Sealants

• Low density formula weighs 3-4 lbs. less per gallon than traditional sealants

· Non-chromate corrosion inhibitive formula helps comply with chromate

 Helps process improvement; excellent tooling properties, easily applied and cures quickly

Pleaseensure products meet all applicable specifications, standards, and maintenance manual requirements for the platform being worked on and validate all aircraft approvals against current technical documentation.

Fuel Tank Sealants

- · Universal sealants that can be used across fuel tank and fuselage applications
- Multiple OEM and MRO approvals
- Class B sealantshelp reduce shrinkage and rework for total cost reduction

Fuselage Sealants

- · Non-Chromate Corrosion Inhibiting (NCCI) sealantsavailable
- Excellent shop-handling characteristics including less stringing, low sag and optimized formulas to help reduce odor
- · Easierapplication less effort to tool and shape

• Excellent for preparing aluminum, and titanium alloy parts subsequently finished with epoxy-based and polyurethane-based organic coatings

Surface Pre-Treatment

- · Helps reduce labor time and water usage; no scrubbing or rinsing required
- Superior adhesion of organic coatings to metal substrates
- Eliminateschromates from surface treatment process

Aircraft Exteriors





Helpful Tools

Product Configuration								
	Usage	Application						
CLASS A (Brushable)	For fasteners and brush-coat sealing	Brush applied						
CLASS B (Extrudable)	For fillet and injection seals;little to no flow (sag)	Usually applied with a sealant gun						
CLASS C (Rollable)	For fay surface seals	Applied using a roller or a sealant gun						

Windshield Sealant

- Formulated for sealing acrylic, glass, and polycarbonate aircraft canopies and windshields
- · Class B Sealants contain no solvents and do not craze
- Quickly cure and exhibit excellent adhesion and resistance to UV and weather exposure.

Adhesion Promoters

- · Allows for faster initial adhesion build rate of polysulfide sealant
- One component formula for simple application
- Available in a water-based formula for solvent sensitive surfaces.

Tamper Proof Sealing

- One-part formula for convenient dispensing
- · Protect settings and calibrations
- Indicates whether fastener has been tampered with or has moved.







Surface Prep – Top Products

Surface Pre-Treatment

3M[™] Surface Pre-Treatment AC-131BB & CB - Version of sol gel appropriate for paint surface preparation

Fuel Tank Sealants

3M[™] Aerospace SealantAC-380 3M[™] Aerospace SealantAC-350

3M[™] Aerospace SealantAC-370

Fuselage Sealants

3M[™] Aerospace SealantAC-770

- 3M[™] Aerospace SealantAC-735
- 3M[™] Aerospace SealantAC-370

Non Chromate Corrosion Inhibitive Sealants

3M[™] Aerospace SealantAC-735

Windshield Sealant

3M[™] Aerospace SealantAC-251

Adhesion Promoters

3M[™] Adhesion Promoter AC-160
3M[™] Adhesion Promoter AC-137
3M[™] Adhesion Promoter AC-132

Tamper Proof Sealing

3M[™] Scotch-Weld[™] Tamper Proof Sealant EC-1252– Available in blue, pink, yellow and white

Aerospace Polysulfide Sealants

Sealant	Fuel Tank	Fuselage	Fast Cure	Standard Density (1.5+)	Reduced Density (1.3-1.4)	Low Density (1.1)	No Solvent (Class B)	Non- Chromate Corrosive Inhibitive
AC-350 A,B	3	3	3		3		3	
AC-370 B	3	3	3		3		3	
AC-380 B	3	3	3			3	3	
AC-735 B		3	3			3	3	3
AC-770 B		3	3			3	3	
AC-251B Black		3 (windows)	3	3			3	



Other 3M Products (consumables)

Use 3M 231A masking tape and 471 vinyl tape for effective masking of aircraft lap joints, doublers and other sealant applications.

Pleaseensure products meet all applicable specifications, standards, and maintenance manual requirements for the platform being worked on and validate all aircraft approvals against current technical documentation.

CLICK FORONLINE PRODUCTINFORMATION 19

Aircraft Exteriors Surface Protection and Enhancement



You need to think ahead, to fix things before they're broken, to prevent errors before they happen. You need built-in, proactive protection. You need to take control of future issueswhile you still can—now.

3M surface protection solutions can help.

Pleaseensure products meet all applicable specifications, standards, and maintenance manual requirements for the platform being worked on and validate all aircraft approvals against current technical documentation.

Aircraft Exteriors Surface Protection and Enhancement

Structural Adhesive Surfacing and Lightning Strike Protection Films

- · Resistantto effects of humidity exposure
- Cocure compatible with most epoxy composite pre-preg systems
- · Excellent for surfacing composite parts

Advanced Composite Protection Cocure Films

- · Game-changing technology for protecting advanced composite parts
- Processingtemperatures up to 400 °F and service temperatures up to 250 °F
- Unique flow capabilities to stack protection where you need it

Corrosion Prevention Tapes


- · Prevent fluids from reaching floorbeams and other metal structures
- Highly durable and puncture-resistant with flame resistant options available
- Conformable and easyto apply

Rotor Blade Tapes

- · Highly durable, long service life
- Meets severalOEM specifications
- · Protect rotor bladesto avoid replacement

Military Grade Tapes

- · Proven military use
- Available in various colors
- NSNs available









Aircraft Exteriors - Surface Protection and Enhancement

Commercial Grade Tapes

- · Transparent tapes with a superior UV package
- · Easyto apply and conforms to curved surfaces
- · Can be painted over, or applied to painted surfaces

Fuel Cell/Anti-Chafe Tapes

- · Adhere to a wide variety of substrates
- Solvent-freetechnology
- Conform to curvatures

FOD Impact Protection Tapes

- Extremely tough elastomer for aerospace applications
- Can be perforated for easierapplication
- · Adheres to a wide variety of substrates

Indoor Grade Tapes

- Highly durable in challenging environments
- Easyto apply
- Constant adhesion and easy removal

Paint Replacement Tapes

- Designed to resist fluid ingress
- Low surface energy for interior and exterior applications
- Conform to irregular surfaces









Aircraft Exteriors - Surface Protection and Enhancement

Temporary Protection Tapes

- · Easyremoval without surface residue
- Flame resistant
- · Conform to curved and uneven surfaces

Thermoformed Protection Boots

- Hundreds of pre-shaped shapesto meet your needs and prevents damage caused by rain and sand
- Can be formulated to be UV-stable to hold clarity and not yellow over time.
- · Virtually no reduction in radar transmissivity

Urethane Repair Pastes/ Edge Sealers

- · On-aircraft repairs, no vacuum bagging required
- · Erosion resistance in the harshest conditions
- · Tack free, flyable and fully cured in less than 24 hours

Application Accessories

- Allows to easily apply 3M[™] Polyurethane Protective Tapes and Boots
- · Aids proper installation
- · Easyto use and allows faster application









Surface Protection and Enhancement – Top Products

Structural Adhesive Surfacing and Lightning Strike Protection Films

3M[™] Scotch-Weld[™] Composite Surfacing Film AF 325 M & AF 325LS – Available in white and blue versions

3M[™] Scotch-Weld[™] Composite Surfacing Film AF 191XS

3M[™] Scotch-Weld[™] Composite Surfacing Film AF 536 – Multiple film weight options available. Can be cured at either 250°F (120°C)or 350°F (175°C)

Advanced Composite Protection Cocure Films

3M[™] PolyurethaneProtective Tape 8730NA – (12mil thick)

3M[™] PolyurethaneProtective Tape 8732NA – (24 mil thick)

3M[™] PolyurethaneProtective Tape 8734NA – (6 mil thick)

3M[™] Scotch-Weld[™] Repair Paste 2110Kit – Urethane paste designed for durable erosion resistance equivalent to original 3M film.

3M[™] RP-2220

Corrosion Prevention Tapes

3M[™] Polyurethane Protective Tape 8658DL – Flame resistant tape meets FAR 25.852 for aircraft interior burn certifications and is used to seal floor panels

3M[™] Polyurethane Protective Tape 8663DL – Moisture barrier tape that is used in wide areas or seam sealing applications and passesburn testing as a sandwich construct

3M[™] Polyurethane Protective Tape 8657DL – For wet-area corrosion prevention areas such as aircraft lavatories and galleys. Flame resistant tape meets FAR25.852 for aircraft interior burn certifications and is used for wide area applications

3M[™] Polyurethane Protective Tape 8666

Rotor Blade Tapes

3M[™] Polyurethane Protective Tape 8542HS – 10xbetter rain and sand erosion performance than 8663HS (43 mil thick) 3M[™] Polyurethane Protective Tape 8545HS & 8545NA – 7x better rain and sand erosion performance than 8663HS (22 mil thick)

3M[™] Polyurethane Protective Tape 8663HS Matte Black – *Meets multiple military specifications* (18mil thick)

Military Grade Tapes

3M[™] Polyurethane Protective Tape 8667HS – Commonly used in industrial applications. Erosion protection with high shear adhesive. (28 mil thick)

3M[™] Polyurethane Protective Tape 8681HS – Available in Matte Clear and 36118,36173, 36251, 36270, 36320 and 36375 Grays (14mil thick)

Commercial Grade Tapes

3M[™] Polyurethane Protective Tape 8671and/or 8671HS

3M[™] Polyurethane Protective Tape 8672

3M[™] Polyurethane Protective Tape 8673 – Best UV stability package and is 3M's first choice for exterior leading edge protection.

3M[™] Polyurethane Protective Tape 8674 – *Thinner version of 8673*

Fuel Cell/Anti-Chafe Tapes

3M[™] Polyurethane Protective Tape 8544 – Preventschafing of rivets on aircraft fuel cells and bladders

FOD Impact Protection Tapes

3M[™] Polyurethane Protective Tape 8641– "Belly Tape" protects against small foreign object damage (FOD) on underside of aircraft. Impact protection tape—our thickest tape (41mil thick)

Indoor Grade Tapes

3M[™] PolyurethaneProtective Tape 8560 –Indoor grade, high-tack, repositionable, abrasion resistant (14 mil thick)

3M[™] Polyurethane Protective Tape 8561– Indoor grade, impact and erosion resistance. Commonly used in industrial applications. (14mil)

3M[™] Polyurethane Protective Tape 8562 – Indoor grade, for isolation, abrasion resistant (8 mil) than 8663HS (43 mil thick).

Pleaseensure products meet all applicable specifications, standards, and maintenance manual requirements for the platform being worked on and validate all aircraft approvals against current technical documentation.

CLICK FORONLINE PRODUCTINFORMATION

Surface Protection and Enhancement – Top Products

Paint Replacement Tapes

3M[™] Surface Protection Film 3952 – *Provided* without adhesive for cocure applications

3M[™] Paint Replacement Tape 5004 – Designed as a paint replacement. Excellent moisture barrier and Skydrol resistant

Temporary Protection Tapes

3M[™] Polyurethane Protective Tape 8547 – Protects components from surface damage during manufacturing and transportation.

3M[™] Polyurethane Protective Tape 8547-1

Thermoformed Protection Boots

Visit 3M.com/boots to see a full list of available aerospace boots

Typical application areas: Radome, Winglet, Antenna

Urethane Repair Pastes/ Edge Sealers

3M[™] Scotch-Weld[™] Repair Paste 2110– black repair paste used with our black protective tapes

3M[™] Scotch-Weld[™] Repair Paste 2220 – clear repair paste used with our transparent tapes, also perfect for edge sealing

Application Accessories

3M[™] Protective Tape Application Solution – Ready-to-use spray bottles save time and guesswork mixing - includes an application squeegee

3M[™] Adhesion Promoter 86A – Allows for faster initial adhesion build rate of 3M[™] Polyurethane Protective Tapes and Boots



Other Featured Products

Corrosion Prevention Tapes

3M[™] Polyurethane Protective Tape 8658DL – Flame resistant seam-sealing tape meets FAR 25.852 for aircraft interior burn certifications.

3M[™] Polyurethane Protective Tape 8663DL – A transparent polyurethane protective tape that is qualified to multiple leading aircraft manufacturer specifications for corrosion prevention, wide area protection.

3M[™] Polyurethane Protective Tape 8657DL – A white polyurethane protective tape that meets FAR 25.853. Corrosion prevention, wide area protection tape.

3M[™] PolyurethaneProtective Tape 8686 – Meets FAR 25.853. Thin and removable commonly used as an interior patch tape.



Manufacture a toughened composite part with 3M products that bring you the best lightweight, durable and shop-handling characteristics in the industry. We have the complete composite part fabrication package with toughened resin system (nano technology), integrated composite protection and multiple composite bonding options to fit exactly what your design calls for.

3M Structural Adhesive Bonding solutions can help.

Pleaseensure products meet all applicable specifications, standards, and maintenance manual requirements for the platform being worked on and validate all aircraft approvals against current technical documentation.

26

Composite Resins

- · Excellent high strength and stiffness
- Improved toughness and durability
- High temperature performance

Advanced Composite Protection Cocure Films

- · Game-changing technology for erosion and abrasion protection of composite parts
- Processingtemperatures up to 400 °F and service temperatures up to 250 °F
- · Able to be cocured with composite parts or post bonded with structural adhesives(built-in erosion protection)

Structural Adhesive Films

Repair Pastes


High fracture toughness and peel strength


· On-aircraft repairs, no vacuum bagging required

· Tack free, flyable and fully cured in less than 24 hours

Erosion resistance in the harshest conditions

- · Excellent pre-bond humidity performances
- · Available in multiple cure temperatures














Structural Adhesive Composite Surfacing Films

- Cocure compatible with most epoxy composite prepreg systems
- · Smooth surfacing with minimal pinholes and imperfections
- Available in multiple cure temperatures

Structural Adhesive Lightning Strike Protection Film

- Cocure compatible with most epoxy composite prepreg systems
- Smooth surfacing with minimal pinholes and imperfections
- · Available in multiple cure temperatures

Honeycomb Void Filler

- Strong, low-density formulas save weight
- Non-sag compound dispenseseasily
- Cartridge and bulk dispensing options available







Paste Adhesives

- · High peel and shear strength for aerospace applications
- · Maintain bond strength at high and low temperatures
- FR and FST solutions available

Core Splice Structural Adhesive Films

- Thermally expanding films for gap filling
- High performance over a broad range of temperature
- · Excellent shear strength even at elevated temperatures





Composite Component Fabrication – Top Products

Composite Resins

3M[™] Matrix Resin4891– For structural parts requiring high compression strength and high temperature performance.

3M[™] Matrix Resin2897

Advanced Composite Protection Cocure Films

3M[™] PolyurethaneProtective Tape 8730NA – (12mil thick)

3M[™] Polyurethane Protective Tape 8732NA – (24 mil thick)

3M[™] Polyurethane Protective Tape 8734NA – (6 mil thick)

3M[™] Polyurethane Protective Tape RP-2220

Repair Paste/Edge Sealers

3M[™] Scotch-Weld[™] Repair Paste 2110– black repair paste used with our black protective tapes.

3M[™] Scotch-Weld[™] Repair Paste 2220 – clear repair paste used with our transparent tapes, also perfect for edge sealing

Structural Adhesive Films

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 126 and AF 126-2 – *250°F (120°C) cure.*

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 163-2 – *250°F (120°C)cure.*

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 3109-2 – Dual cure 250°F (120°C) or 350°F (175°C)

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 555 – 350°F (175°C)cure.

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 191– *350°F (175°C) cure.*

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 131-2– *350°F (175°C)cure*

Structural Adhesive Composite Surfacing Films

3M[™] Scotch-Weld[™] Composite Surfacing Film AF 325 M - Available in white and blue versions for color contrast

3M[™] Scotch-Weld[™] Composite Surfacing Film AF 536 – Multiple film weight options available. Can be cured at either 250°F (120°C) or 350°F (175°C)

Structural Adhesive Lightning Strike Protection Film

3M[™] Scotch-Weld[™] Composite Surfacing Film AF 325 LS – Available in white and blue for color contrast

3M[™] Scotch-Weld[™] Composite Surfacing Film AF 536 – Multiple film weight options available. Standard temperature cure from 250°F (120°C)up to 350°F (175°C)

Honeycomb Void Filler

3M[™] Scotch-Weld[™] Void Filling and Edge Sealing Compound EC-3500 B/A

3M[™] Scotch-Weld[™] Void Filling and Edge Sealing Compound EC-3500-2 B/A

3M[™] Scotch-Weld[™] Void Filling and Edge Sealing Compound EC-3524 B/A – *Versatile formula can be used for bonding inserts*

Paste Adhesives

3M[™] Scotch-Weld[™]Epoxy Adhesive EC-2214– 350°F (175°C)cure.

3M[™] Scotch-Weld[™]Epoxy Adhesive EC-2615B/A – *Roomtemperature cure.*

3M[™] Scotch-Weld[™]Epoxy Adhesive EC-2792 B/A – Reacheshandling strength in approximately 5 hours and is fully cured in 24 hours

Core Splice Structural Adhesive Films

3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3002


3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3024 – Highest expansion and lowest density of core splice films in our portfolio. Dual cure 250°F (120°C) or 350°F (175°C)

3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3028 and AF 3028FR

3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3074 FST– Low Density Expanding Core Splice Film with FST (Flame, Smoke, Toxicity) Resistance

Pleaseensure products meet all applicable specifications, standards, and maintenance manual requirements for the platform being worked on and validate all aircraft approvals against current technical documentation. CLICK FORONLINE PRODUCTINFORMATION

Aircraft Structures Metal Component Fabrication



Rely on 3M engineered solutions for your aerospace metal part fabrication and make it easier to maintain lighter, safer and more fuel-efficient aircraft.

Aircraft Structures Metal Component Fabrication

Structural Adhesive Films

- High fracture toughness and peel strength
- · Excellent pre-bond humidity performances
- · Available in multiple cure temperatures




Surface Pre-Treatment

- Excellent for preparing aluminum, stainless steel and titanium alloy parts subsequently finished with epoxy-based and polyurethane-based organic coatings.
- Helps reduce labor time and water usage; no scrubbing or rinsing required
- · Eliminateschromates from surface treatment process



Structural Adhesive Bond Primers

- Corrosion inhibitive pigment allows for increased service life
- Protect high-cost surface preparation helps preserve Chemical Surface Preparation Prior to bonding
- Water based and non-chromate options available



Aircraft Structures Metal Component Fabrication

Paste Adhesives

- Excellent adhesion on primed or painted metal
- · Maintain bond strength at high and low temperatures
- · High peel and shear strength for aerospace applications



Core Splice Structural Adhesive Films

- Thermally expanding films for gap filling
- High performance over a broad range of temperature
- · Excellent shear strength even at elevated temperatures



Metal Component Fabrication – Top Products

Structural Adhesive Films

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 126 and AF 126-2 – *250°F (120°C) cure*

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 163-2 – *250°F (120°C)cure*

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 3109-2 – *Dual cure 250°F (120°C)or 350°F (175°C)*

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 555 – *350°F (175°C)cure*

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 191– *350°F (175°C)cure*

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 131-2– *350°F (175°C)cure*

Surface Pre-Treatment

3M[™] Surface Pre-Treatment AC-130-2 – Sol-gel based surface preparation for adhesive bonding of aluminum alloys, stainless steel and titanium

Structural Adhesive Bond Primers

3M[™] Scotch-Weld[™] Structural Adhesive Primer EC-3917– Solvent based, chromated inhibitor Complimentary to both 250°F (120°C) and 350°F (175°C) cure adhesive films

3M[™] Scotch-Weld[™] Structural Adhesives Primer EC-3924B – Solvent based, chromated inhibitor. Complimentary to 250°F (120°C) cure adhesive films

3M[™] Scotch-Weld[™] Structural Adhesive Primer EW-5000 – Water-based, chromated inhibitor. Complimentary to both 250°F (120°C) and 350°F (175°C) cure adhesive films

3M[™] Scotch-Weld[™] Structural Adhesive Primer EW-5000AS – Water based, non-chromated inhibitor. Complimentary to both 250°F (120°C) and 350°F (175°C) cure adhesive films

3M[™] Scotch-Weld[™] Structural Adhesive Primer EW-5005 – Water based, non-chromated inhibitor. Appropriate for use with AC 130-2 sol gel surface prep. Complimentary to both 250°F (120°C) and 350°F (175°C) cure adhesive films

Paste Adhesives

3M[™] Scotch-Weld[™]Epoxy Adhesive EC-2214

3M[™] Scotch-Weld[™]Epoxy Adhesive EC-2615B/A

3M[™] Scotch-Weld[™]Structural EpoxyAdhesive EC-9323-2 B/A

3M[™] Scotch-Weld[™]Epoxy Adhesive EC-2792 B/A – Reacheshandling strength in approximately 5 hours and is fully cured in 24 hours

Core Splice Structural Adhesive Films

3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3002

3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3024 – Highest expansion and lowest density of core splice films in our portfolio. Dual cure 250°F (120°C) or 350°F (175°C)

3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3028 and AF 3028FR

3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3074FST – Low Density expanding Core Splice Film with FST(Flame, Smoke, Toxicity) resistance



Other 3M Products (consumables)

Aircraft need the best abrasives available to assist with construction to maintenance.3M offers a full line of abrasives including quick change discs, flap wheels, cartridge rolls, fiber discs and non-woven wheels, brushes, flap discs, hand pads, belts and more to fit your needs.

Aircraft Structures Assembly & Completions



3M structural solutions are driving new efficiencies and raising the bar for performance of aerospace components.

Aircraft Structures Assembly & Completions

Paste Adhesives

- Excellent adhesion on primed or painted metal
- Maintain bond strength at high and low temperatures
- High peel and shear strength for aerospace applications

Liquid Shim Adhesives

- Fastcuring at ambient temperature
- Excellent adhesion and compression properties
- Extrudable from cartridges or bulk material

Bracket Bonding Adhesives

- Simple two-step process, apply and bond without having to use fixtures
- Instant hold with no sag or mess
- · Low-flow for use in vertical or overhead applications











Aircraft Structures Assembly & Completions

Polysulfide Sealants

- Excellent shop-handling characteristics including less stringing and low sag
- · Quick tack free times and short cure times for increased throughput



Tamper Proof Sealants

- · One-part formula in multiple colors for convenient dispensing
- Self-extinguishing
- Numerous OEM approvals



Assembly & Completions – Top Products

Paste Adhesives

3M[™] Scotch-Weld[™]Epoxy Adhesive EC-2615 3M[™] Scotch-Weld[™]Structural Epoxy Adhesive EC-9323-2 B/A

Liquid Shim Adhesives

3M[™] Scotch-Weld[™] EC-7272 B/A - Good for gap filling

Bracket Bonding Adhesives


3M[™] Scotch-Weld[™] EC-7202 – *cures within 90 minutes to handling strength*

Polysulfide Sealants

Ideal for fuel tank and fuselage sealing applications 3M[™] Aerospace SealantAC-350 A,B 3M[™] Aerospace SealantAC-370 B 3M[™] Aerospace SealantAC-380 B

Tamper Proof Sealants

3M[™] Scotch-Weld[™] EC-1252– available in white, pink, blue and yellow




Other 3M Products (consumables)

Ensuring technicians' safety during heavy check operations is of vital importance. From eye, hearing and respiratory protection, to coveralls and fall protection, look to 3M for a robust catalog of personal protective equipment.

Aerospace Polysulfide Sealants

Sealant	Fuel Tank	Fuselage	Fast Cure	Standard Density (1.5+)	Reduced Density (1.3-1.4)	Low Density (1.1)	No Solvent (Class B)	Non- Chromate Corrosive Inhibitive
AC-350 A,B	3	3	3		3		3	
AC-370 B	3	3	3		3		3	
AC-380 B	3	3	3			3	3	

Propulsion Engine Components



3M has a long successful history in the use of structural adhesives for bonding metal to composite. Learn more.

Propulsion Engine Components

Surface Pre-Treatment

- · Eliminateschromates from surface treatment process
- · Allows for out-of-tank preparation of metal substrates

Structural Adhesive Bond Primers

- Corrosion inhibitive pigment allows for increased service life
- Protect high-cost surface preparation helps preserve Chemical Surface Preparation Prior to bonding
- Water based and non-chromate options available

Structural Adhesive Films and Pastes

- High fracture toughness and peel strength
- Excellent pre-bond humidity performance on composite substrates
- Available in multiple cure temperatures

Advanced Composite Protection Cocure Films

- Game-changing technology for erosion and abrasion protection of composite parts
- Processing temperatures up to 400 $\,\,^{\circ}\text{F}$ and service temperatures up to 250 $\,^{\circ}\text{F}$
- Able to be cocured with composite parts or post bonded with structural adhesives(built-in erosion protection)











Propulsion Engine Components

Urethane Repair Pastes

- Urethane paste designed for durable erosion resistance equivalent to original3M film
- In-place repairability of cured 3M Cocure film helps reduce waste and downtime
- No intentionally added solvent in composition helps reduce shrinkage and rework

FanTrack Abradable / Void Fillers

- · Increasesengine efficiency due to effective fan blade sealing
- · Compound is sandable within 3 hours of mixing to reduce cycle time
- Numerous OEM approvals

Composite Resins

- One-part epoxy system for resin transfer molding
- High service temperature
- High compression strength









Engine Components – Top Products

Surface Pre-Treatment

3M[™] Surface Pre-Treatment AC-130-2 –*Sol-gel based* surface preparation for adhesive bonding of aluminum alloys, stainless steel and titanium

Structural Adhesive Bond Primers

3M[™] Scotch-Weld[™] Structural Adhesive Primer EC-3917– Solvent based, chromated inhibitor. Complimentary to both 250°F (120°C) and 350°F (175°C) cure adhesive films

3M[™] Scotch-Weld[™] Structural Adhesives Primer EC-3924B – Solvent based, chromated inhibitor. Complimentary to 250°F (120°C)cure adhesive films

3M[™] Scotch-Weld[™] Structural Adhesive Primer EW-5005 – Water based, non-chromated inhibitor. Appropriate for use with AC 130-2 sol gel surface prep. Complimentary to both 250°F (120°C) and 350°F (175°C) cure adhesive films

Structural Adhesive Films and Pastes

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 163-2

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 3109-2

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 191

3M[™] Scotch-Weld[™] Epoxy Adhesive EC-3448

Advanced Composite Protection Cocure Films

3M[™] PolyurethaneProtective Tape 8730NA – (12mil thick)

3M[™] Polyurethane Protective Tape 8732NA – (24 mil thick)

3M[™] Polyurethane Protective Tape 8734NA – (6 mil thick)

Urethane Repair Pastes

3M[™] Scotch-Weld[™] Repair Paste 2110– black repair paste used with our black protective tapes.

3M[™] Scotch-Weld[™] Repair Paste 2220 – clear repair paste used with our transparent tapes, also perfect for edge sealing

FanTrack Abradable / Void Fillers

3M[™] Scotch-Weld[™] Void Filling and Edge Sealing Compound EC-3524 B/A – *Fire retardant, void filling, edge-sealing, potting and complex gap-filling epoxy compound for aerospace weight reduction. Available in blue, white and black*

3M[™] Scotch-Weld[™] Void Filling and Edge Sealing Compound EC-3500 B/A

Composite Resins


3M[™] Matrix Resin2894 3M[™] Matrix Resin2896



Other 3M Products

3M[™] Nextel[™] Ceramic Fibers and Textiles for Aerospace - Nextel ceramic textiles can withstand extremely high temperatures and are extraordinarily durable, yet are also flexible and lightweight. Provenin flight and in space, they have long been used to manufacture seals and heat blankets that protect metal and composite components from engine heat and fire. Nextel ceramic fibers are also used to reinforce Ox-Ox Ceramic Matrix Composites (CMCs) for exhaust components and heat shields.

CLICK FORONLINE PRODUCTINFORMATION



3M solutions for honeycomb core structure such as engine nacelles include surface preparation, corrosion inhibiting bond primers, structural adhesives and surfacing films. Learn more.

Surface Pre-Treatment

- · Helps reduce labor time and water usage
- Eliminates chromates from surface treatment process
- · Allows for out-of-tank preparation of metal substrates

Structural Adhesive Bond Primers


- · Corrosion inhibitive pigment allows for increased service life
- Protect high-cost surface preparation helps preserve Chemical Surface Preparation Prior to bonding
- · Water based and non-chromate options available

Structural Adhesive Films and Pastes

- · High fracture toughness and peel strength
- · Excellent pre-bond humidity performance on both metal and composite substrates
- · Available in multiple cure temperatures

Core Splice Structural Adhesive Films

- · Thermally expanding films for gap filling
- High performance over a broad range of temperature
- · Excellent shear strength even at elevated temperatures











Advanced Composite Protection Cocure Films

- Game-changing technology for erosion and abrasion protection
 of composite parts
- Processing temperatures up to 400 $\,^{\circ}\text{F}$ and service temperatures up to 250 $\,^{\circ}\text{F}$
- Able to be cocured with composite parts or post bonded with structural adhesives(built-in erosion protection)

Urethane Repair Pastes

- Urethane paste designed for durable erosion resistance equivalent to original 3M film
- In-place repairability of cured 3M Cocure film helps reduce waste and downtime
- No intentionally added solvent in composition helps reduce shrinkage and rework

FanTrack Abradable / Void Fillers

- · Increasesengine efficiency due to effective fan blade sealing
- Compound is sandable within 3 hours of mixing to reduce cycle time
- Numerous OEM approvals









Structural Adhesive Surfacing and Lightning Strike Protection Films

- · Resistantto effects of humidity exposure during manufacture
- · Cocure compatible with most epoxy composite pre-preg systems
- On both metal and composite substrates

Paint Replacement Films

- Fluoropolymer film is inherently resistant to chemicals and environmental agents to provide excellent substrate protection and long-term color stability
- Acrylic adhesive provides high initial adhesion and long-term holding power to a variety of substrates
- Meets industry flame resistance requirements for aircraft interiors, and has successfully been used in general aviation, commercial and military aircraft applications
- Usable for surface protection and paint replacement applications

Thermoformed Boots

- Hundreds of pre-formed shapesto meet your needs and prevents damage caused by rain and sand
- UV-stable polyurethane holds its clarity and minimal yellowing over time
- Virtually no reduction in transmissivity







Propulsion Nacelle – Top Products

Surface Pre-Treatment

3M[™] Surface Pre-Treatment AC-130-2 – Sol-gel based surface preparation for adhesive bonding of aluminum alloys, stainless steel and titanium. Reduces hazardous materials from the bonding surface preparation process

Structural Adhesive Bond Primers

3M[™] Scotch-Weld[™] Structural Adhesive Primer EC-3917– Solvent based, chromated inhibitor. Complimentary to both 250°F (120°C) and 350°F (175°C) cure adhesive films

3M[™] Scotch-Weld[™] Structural Adhesives Primer EC-3924B – Solvent based, chromated inhibitor. Complimentary to 250°F (120°C)cure adhesive films

3M[™] Scotch-Weld[™] Structural Adhesive Primer EW-5005 – Water based, non-chromated inhibitor. Appropriate for use with AC 130-2 sol gel surface prep. Complimentary to both 250°F (120°C) and 350°F (175°C) cure adhesive films

Structural Adhesive Films and Pastes

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 163-2

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 3109-2

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 191

3M[™] Scotch-Weld[™] Epoxy Adhesive EC-3448

Core Splice Structural Adhesive Films

3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3002

3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3024– Highest expansion and lowest density of core splice films in our portfolio. Dual cure 250°F (120°C)or 350°F (175°C)

3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3028

3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3074 FST– Low Density Expanding Core Splice Film with FST(Flame, Smoke, Toxicity) Resistance

Advanced Composite Protection Cocure films

3M[™] PolyurethaneProtective Tape 8730NA – (12mil thick)

3M[™] Polyurethane Protective Tape 8732NA – (24 mil thick)

3M[™] Polyurethane Protective Tape 8734NA – (6 mil thick)

Urethane Repair Pastes

3M[™] Scotch-Weld[™] Repair Paste 2110– black repair paste used with our black protective tapes

3M[™] Scotch-Weld[™] Repair Paste 2220 – clear repair paste used with our transparent tapes, also perfect for edge sealing

Fan Track Abradable / Void Fillers

3M[™] Scotch-Weld[™] Core Splice Adhesive EC-3524 B/A

3M[™] Scotch-Weld[™] Core Splice Adhesive EC-3500 B/A – Superiorcompressive strength of 6000 psi with only 0.64 g/cm density

Structural Adhesive Surfacing and Lightning Strike Protection Films

3M[™] Scotch-Weld[™] Composite Surfacing Film AF 325 M & AF 325LS

3M[™] Scotch-Weld[™] Composite Surfacing Film AF 191XSA

3M[™] Scotch-Weld[™] Composite Surfacing Film AF 536

Paint Replacement Films

3M[™] Surface Protection Film 3952 – Provided without adhesive for cocure applications

3M[™] Paint Replacement Tape 5004 – Designed as a paint replacement. Excellent moisture barrier and Skydrol[™] hydraulic fluid resistant


Thermoformed Boots

FP 151, FP 231, FP 232

Protect Your Crew

Products that work as hard as you do. From the most basic to the most specialized needs, 3M offers the health and safety protection you and your workers need most, so everyone can perform at their best.

Propulsion Fan Blades



Structural adhesive bonding for high temperature applications and bonded-in composite erosion protection solutions are just the start. Learn more about 3M fan blade/cold-side engine applications.

Propulsion **Fan Blades**

Surface Pre-Treatment

- · Helps reduce labor time and water usage
- · Eliminateschromates from surface treatment process
- · Allows for out-of-tank preparation of metal substrates

Structural Adhesive Bond Primers

- · Corrosion inhibitive pigment allows for increased service life
- · Protect high-cost surface preparation helps preserve Chemical Surface Preparation Prior to bonding
- · Water based and non-chromate options available

Structural Adhesive Films

- · High fracture toughness and peel strength
- · Excellent pre-bond humidity performance on composite substrates
- Available in multiple cure temperatures

Structural Adhesive Composite Surfacing Films

- · Cocure compatible with most epoxy composite prepreg systems
- · Smooth surfacing with minimal pinholes and imperfections
- · Available in multiple cure temperatures











Propulsion Fan Blades

Advanced Composite Protection Cocure Films

- Game-changing technology for erosion and abrasion protection
 of composite parts
- Processing temperatures up to 400°F and service temperatures up to 250°F
- Able to be cocured with composite parts or post bonded with structural adhesives(built-in erosion protection)

Urethane Repair Pastes

- Urethane paste designed for durable erosion resistance equivalent to original 3M film
- In-place repairability of cured 3M cocure film helps reduce waste and downtime
- · Composition helps reduce shrinkage and rework

Composite Resins

- One-part epoxy system for resintransfer molding
- High service temperature
- High compression strength







Propulsion Fan Blades – Top Products

Surface Pre-Treatment

3M[™] Surface Pre-Treatment AC-130-2 – Sol-gel based surface preparation for adhesive bonding of aluminum alloys, stainless steel and titanium

Structural Adhesive Bond Primers

3M[™] Scotch-Weld[™] Structural Adhesive Primer EC-3917–Solvent based, chromated inhibitor. Complimentary to both 250°F (120°C) and 350°F (175°C) cure adhesive films

3M[™] Scotch-Weld[™] Structural Adhesives Primer EC-3924B – Solvent based, chromated inhibitor Complimentary to 250°F (120°C)cure adhesive films

3M[™] Scotch-Weld[™] Structural Adhesive Primer EW-5005 – Water based, non-chromated inhibitor Appropriate for use with AC 130-2 sol gel surface prep. Complimentary to both 250°F (120°C) and 350°F (175°C) cure adhesive films

Structural Adhesive Films

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 191– 350°F (175°C)cure

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 163-2 – *250°F (120°C)cure*

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 3109-2 – Dual cure 250°F (120°C)or 350°F (175°C)

Structural Adhesive Composite Surfacing Films

3M[™] Scotch-Weld[™] Composite Surfacing Film AF 325 M & AF 325LS – Available in white and blue versions

3M[™] Scotch-Weld[™] Composite Surfacing Film AF 536 – Multiple film weight options available. Can be cured at either 250°F (120°C)or 350°F (175°C)

Advanced Composite Protection Cocure Films

3M[™] PolyurethaneProtective Tape 8730NA – (12mil thick)

3M[™] Polyurethane Protective Tape 8732NA – (24 mil thick)

3M[™] Polyurethane Protective Tape 8734NA – (6 mil thick)

Pleaseensure products meet all applicable specifications, standards, and maintenance manual requirements for the platform being worked on and validate all aircraft approvals against current technical documentation.

Urethane Repair Pastes

3M[™] Scotch-Weld[™] Repair Paste 2110– black repair paste used with our black protective tapes

3M[™] Scotch-Weld[™] Repair Paste 2220 – clear repair paste used with our transparent tapes, also could be used for edge sealing

Composite Resins

3M[™] Matrix Resin4891– For structural parts requiring high compression strength and high temperature performance

3M[™] Matrix Resin2896

Propulsion Rotor Blades



3M has long been the supplier of choice for challenging helicopter rotor blade bonding and surface protection applications. Learn more.

Propulsion Rotor Blades

Surface Pre-Treatment

- · Helps reduce labor time and water usage
- · Eliminates chromates from surface treatment process
- · Allows for out-of-tank preparation of metal substrates

Structural Adhesive Bond Primers

- Corrosion inhibitive pigment allows for increased service life
- Protect high-cost surface preparation Helps PreserveChemical Surface Preparation Prior to Bonding
- · Water based and non-chromate options available

Structural Adhesive Films

- High fracture toughness and peel strength
- Excellent pre-bond humidity performance on composite substrates
- · Available in multiple cure temperatures

Core Splice Structural Adhesive Films

- Thermally expanding films for gap filling
- High performance over a broad range of temperature
- Excellent shear strength even at elevated temperatures









Propulsion Rotor Blades

Advanced Composite Protection Cocure Films

- Game-changing technology for erosion and abrasion protection
 of composite parts
- Processing temperatures up to 400 $\,^{\circ}\text{F}$ and service temperatures up to 250 $\,^{\circ}\text{F}$
- Able to be cocured with composite parts or post bonded with structural adhesives(built-in erosion protection)

Polyurethane Protection Films and Tapes


- · Highly durable, long service life
- · Meets severalOEM specifications
- · Protect rotor bladesto avoid replacement

Urethane Repair Pastes

- Urethane paste designed for durable erosion resistance equivalent to original 3M film
- In-place repairability of cured 3M cocure film helps reduce waste and downtime
- Helps reduce labor time and water usage

Thermoformed Boots

- Hundreds of pre-formed shapesto meet your needs and prevents damage caused by rain and sand
- UV-stable polyurethane holds its clarity and minimal yellowing over time
- Virtually no reduction in transmissivity











Propulsion Rotor Blades – Top Products

Surface Pre-Treatment

3M[™] Surface Pre-Treatment AC-130-2 – Sol-gel based surface preparation for adhesive bonding of aluminum alloys, stainless steel and titanium

Structural Adhesive Bond Primers

3M[™] Scotch-Weld[™] Structural Adhesives Primer EC-3924B – Solvent based, chromated inhibitor. Complimentary to 250°F (120°C)cure adhesive films

3M[™] Scotch-Weld[™] Structural Adhesive Primer EC-3917–solvent based, chromated inhibitor. Complimentary to both 250°F (120°C) and 350°F (175°C) cure adhesive films

3M[™] Scotch-Weld[™] Structural Adhesives Primer EC-1660

3M[™] Scotch-Weld[™] Structural Adhesive Primer EW-5005 – Water based, non-chromated inhibitor. Appropriate for use with AC 130-2 sol gel surface prep. Complimentary to both 250°F (120°C) and 350°F (175°C) cure adhesive films

Structural Adhesive Films

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 3109-2 – Dual cure 250°F (120°C) or 350°F (175°C)

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 163-2 – *250°F (120°C) cure*

3M[™] Scotch-Weld[™] Structural Adhesive Film AF 191– 350°F (175°C)cure

3M[™] Scotch-Weld[™] Epoxy Adhesive AF 30

Core Splice Structural Adhesive Films

3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3024

3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3002

3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3028

3M[™] Scotch-Weld[™] Structural Core Splice Film AF 3074FST

Advanced Composite Protection Cocure Films

3M[™] PolyurethaneProtective Tape 8730NA – (12mil thick)

3M[™] Polyurethane Protective Tape 8732NA – (24 mil thick)

3M[™] PolyurethaneProtective Tape 8734NA – *(6 mil thick)*

Polyurethane Protection Films and Tapes

3M[™] Polyurethane Protective Tape 8545HS

3M[™] Polyurethane Protective Tape 8542HS

3M[™] Polyurethane Protective Tape 8999 K11 Rotor Blade Protection Kit

UH-60M: SJ8542HS FP641Patch

3M[™] Polyurethane Protective Boot SJ 8542 HSFP637 Boot

3M[™] Polyurethane Protective Boot SJ8542HS FP-641 (UH-60M)

Urethane Repair Pastes


3M[™] Scotch-Weld[™] Repair Paste 2110– black repair paste used with our black protective tapes

3M[™] Scotch-Weld[™] Repair Paste 2220 – clear repair paste used with our transparent tapes, also perfect for edge sealing

Thermoformed Boots

FP637, FP532, FP557, FP558, FP595

One source. Many solutions. 3M Aircraft MRO Heavy Check



From adhesives to abrasives and films, from tapes to safety products, 3M has a deep and extensive offering of solutions tailored specifically for the aerospace industry.

Aircraft MRO Heavy Check Applications



Abrasives

Engineered to last longer, 3M's diverse and distinct family of abrasives help return surfaces to their original state.

- Abrasives for Structural Repair
- Light Corrosion and Sealant Removal
- Sand Fairings and Flight Control Surfaces
- Abrasives for Composites
- Decal and Placard Removal on Metal
- Metal Stress Relieving



Aircraft Graphics

3M[™] graphics and films help preserve and enhance an aircraft's appearance.

• Interior



Aircraft Painting

Achieve a clean and smooth surface to apply paint and decorative livery with a breadth of 3M[™] aircraft painting solutions.

- Chemically Strip and/or Sand
- Surface Preparation and Primer Application
- BaseCoat and Paint Application, Striping, Livery and Clear Coat
- Detail Finish and Repair



Cleaning

Prevent corrosion and inspire confidence with an extensive offering of 3M[™] products that will help you clean surfaces inside and out.

- General Cleaning
- Interior
- Exterior
- Seat Track Cleaning
- Borehole Cleaning
- Oxygen Line Cleaning



Composite Repair

To ensure the strongest and longest lasting bond, rely on 3M and our vast offering of tapes, abrasives and adhesives designed for composite maintenance.

- Tapes for Composite Repair
- Adhesives for Composite Repair
- 3M[™] Scotch-Weld[™] Epoxy Adhesives and Accessories



Corrosion Management

Preventing and removal of corrosion is critical in ensuring the long-term viability of an aircraft. Relyon 3M's corrosion management solutions.

- Wet Area Corrosion Prevention
- Corrosion Removal

Aircraft MRO Heavy Check Applications



Electrical Systems and Maintenance

Protecting electrical systems from the elements ensurescritical systems function properly. Trust 3M electrical tapes to get the job done.

• Tapes



Engine Overhaul

Engine overhaul is key to prolonging the life of an aircraft and making the aircraft saferto fly. 3M offers excellent solutions for your engine overhaul needs.

- Metal Stress Relieving
- Surface Protection Film Repair
- Abradable Compound
- Fluid Containment



Personal Safety

Help protect employees during the heavy check process with 3M products for personal safety. Our robust catalogue of personal protective equipment can help your team get the job done safely.

- High Noise Environments
- Fall Protection Safety
- Head, Eye and Face Protection
- Respiratory Exposures
- Welding Safety
- Confined Spaces



Sealing, Bonding and Joining

Proper sealing of critical aircraft parts and structure ensures effective bonding and joining of nonstructural components. We offer a variety of solutions designed to work in the harshest conditions.

- Sealants
- Sealant Removal
- Bonding
- Joining
- Cargo Compartment Sealing
- Decorative Laminate Bonding



Specialty and Processing Aid Tapes

To deliver maximum efficiency during the heavy check process, rely on 3M[™] tapes to ensure parts are properly labelled, protected and processed.

- Adhesion Testing Tapes
- Temporary Part Marking
- Metal Processing Tapes
- Welding Protection Tapes
- Media Blasting
- Floor Marking Tapes
- Vibration Damping Tapes



Surface Protection


Make surfaces look better and last longer with 3M. Our categoryleading solutions help protect and preserve surfaces on aircraft and in your facility.

- Temporary Protection for Parts, Carpets or Facilities
- Erosion Protection and Edge Sealing
- Chemical Protection
- Impact Protection
- Chafing Protection

Pleaseensure products meet all applicable specifications, standards, and maintenance manual requirements for the platform being worked on and validate all aircraft approvals against current technical documentation.

58

Aircraft Painting Broad solutions. Beautiful Results.



True excellence in aircraft painting requires products that work – not just at a glance, but below the surface and behind the scenes.3M delivers with a broad range of solutions for performance, reliability and added efficiency from strip/sand to surface prep to sealing.

You're Fully Covered

Chemically Strip and/or Sand

3M provides the right solutions for comprehensive cleaning, paint removal, masking and sanding procedures. 3M[™] Cubitron[™], Scotch-Brite[™] and Versaflo[™] brands, among others, deliver reliable performance and protection inside and outside the aircraft.

0000000

0000000000

- **1. Protecting Aircraft Interior**
- 2. Clean & Wash Aircraft
- 3. Masking
- 4. Applying Paint Stripper
- 5. Removing Paint Residue



Preparing surfaces for painting requires some of the most precise solutions for aircraft maintenance, repair and operations. 3M provides world-class masking solutions, pre-treatments, primer application equipment and personal protective equipment for almost every phase of the job.

- 1. Remasking
- 2. DeOxidizing Aluminum Surfaces
- 3. Applying Surface PreTreatment
- 4. Applying Primer

BaseCoat and Paint Application, Striping, Livery and Clear Coat

It's not enough just to create the right patterns and colors in the right places. Through our 3M[™]Accuspray[™]spray gun system and our 3M[™]PPS[™]Paint Preparation System of disposable paint cups, 3M ensures that you apply coatings quickly and efficiently as well.

- 1. Applying Base Coat
- 2. Painting Stripes & Decorative Livery
- 3. Painting Composite Fairings & Access Panels

Detail Finish and Repair

When the right finish really matters, 3M delivers. Our critical edge masking tapes, time-honored Wetordry[™] and Trizact[™] abrasives designed specifically for the finishing, high-performance sealants and more provide results that stand up to scrutiny.

- 1. Painting Touch-Ups
- 2. Paint Defect Repairs
- 3. Applying Sealants

A Century of Science. The Full Depth of Solutions.

Cleaning

3M[™] Doodlebug[™] Pad Holder 6472 Scotch-Brite[™] Aircraft Cleaning Pad

Abrasives, Sanding and Buffing

3M[™] Cubitron[™] II Film Disc 775L

- 3M[™] Cubitron[™] II Hookit[™] Clean Sanding Film Disc 775L
- Scotch-Brite[™] Hand Pad 7447
- 3M[™] Elite Random Orbital Sanders

Scotch-Brite[™] 7447 PRODisc

- 3M[™] Trizact[™] Hookit[™] Foam Abrasive Disc 443SA 3M[™] Trizact[™] Hookit[™] Clear Coat Sanding Abrasive Disc 471LA
- 3M[™] Trizact[™] Finesse-it[™] Film Disc Roll 466LA
- 3M[™] Finesse-it[™] Polish K211
- 3M[™] Buffers
- 3M[™] Purple Finishing Film Abrasive Disc 260L
- 3M[™] Perfect-It[™] EXAC Rubbing Compound
- 3M[™] Perfect-It[™] EXMachine Polish
- 3M[™] Perfect-It[™] EX Ultrafine Machine Polish
- 3M[™] Hookit[™] Dust Free Sanding Block
- 3M[™] Hookit[™] Purple Clean Sanding Abrasive Disc

Masking

- 3M[™] High Performance Green Masking Tape 401+
- 3M[™] Aluminum Foil Tape 425 PL1308
- 3M[™] Aluminum Foil Tape 427
- 3M[™] Plastic Sheeting
- 3M[™] Vinyl Tape 471
- 3M[™] Vinyl Tape 471+
- 3M[™] Paint Masking Tape 231/231A
- Scotch[®] Fine Line Tape 218
- 3M[™] Hand-Masker[™] Advanced Masking Film
- 3M[™] Masking Paper
- Scotch® Solvent Resistant Masking Tape 226
- 3M[™] High Performance Masking Tape 232
- 3M[™] Performance Masking Tape 2380

Surface Protection

- 3M[™] Dirt Trap Protection Material Floor Applicators
- 3M[™] Dirt Trap Protection Material
- 3M[™] Self-Stick Liquid Protection Fabric
- 3M[™] Dirt Trap Protection Material Dispenser
- 3M[™] Dirt Trap Protection Material Wall Applicator

Painting

- 3M[™] Accuspray[™] ONE Spray Gun System with Standard PPS[™]
- 3M[™] High Power Spray Gun Cleaner
- 3M[™] PPS[™]Paint Preparation System
- 3M[™] PPS[™]Series 2.0 Spray Cup System
- 3M[™] Accuspray[™] Regulator and Air Flow Control Valve
- 3M[™] Surface Pre-Treatment AC-131

Safety Equipment

Eve, Hearing and Body Protection

- 3M[™] Disposable Protective Coverall 4540+
- 3M[™] Chemical Protective Coverall 4570
- 3M[™] SecureFit[™] Protective Evewear Family
- 3M[™] GoggleGear[™] 500 Series GG501SGAF, Clear Scotchgard[™] Anti-fog lens
- 3M[™] E-A-R[™]UltraFit[™] Earplugs340-4004
- 3M[™] E-A-R[™] Reusable Earplugs
- 3M[™] PELTOR[™]X4 Earmuffs X4A/37273(AAD), Over-the-Head
- 3M[™] Ratchet Headgear H8A with 3M[™] Clear Polycarbonate Faceshield WP96

Respiratory

- 3M[™] Versaflo[™] Powered Air Purifying Respirator Painters Kit TR-800-PSK/94248(AAD)
- 3M[™] Ultimate FX Full Facepiece Reusable Respirator, FF-400 Series
- 3M[™] Organic Vapor/Acid Gas Cartridge/Filter 60923, P100
- 3M[™] Particulate Respirator 8511,N95
- 3M[™] Particulate Filter 2097/07184(AAD), P100, with Nuisance Level Organic Vapor Relief
- 3M[™] Rugged Comfort Half Facepiece Reusable Respirator, 6500 Series

Fall Protection

- 3M[™] DBI-SALA[®] Delta[™] Vest-Style Resist Web Harness 1110994
- 3M[™] DBI-SALA[®] Web Scaffold Choker 1201390
- 3M[™] DBI-SALA[®] Nano-Lok[™] Quick Connect Self Retracting Lifeline, Web 3101225

Sealants

- 3M[™] Aerospace SealantAC-350
- 3M[™] Aerospace SealantAC-380
- 3M[™] Aerospace Sealant AC-735
- 3M[™] Aerospace Sealant AC-770
- 3M[™]Aerospace SealantAC-251

3M, Accuspray, Cubitron, DBI-SALA, Delta, Doodlebug, E-A-R, Finesse-it, GoggleGear, Hand-Masker, Hookit, Nano-Lok, PELTOR, Perfect-It, PPS, Scotch, Scotch-Brite, SecureFit, Trizact, UltraFit, and Versaflo are trademarks of 3M Company and its affiliates.

Pleaseensure products meet all applicable specifications, standards, and maintenance manual requirements for the platform being worked on and validate all aircraft approvals against current technical documentation.

CLICK FORONLINE PRODUCTINFORMATION



Thank you.

These products were manufactured under a 3M Quality Management System registered to the AS9100 standard.

Technical Information: The technical information, guidance, and other statements contained in this document or otherwise provided by 3M are based upon records, tests, or experience that 3M believes to be reliable, but the accuracy, completeness, and representative nature of such information is not guaranteed. Such information is intended for people with knowledge and technical skillssufficient to assessand apply their own informed judgment to the information. No license under any 3M or third party intellectual property rights is granted or implied with this information.

Product Selection and Use:Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessmentand reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product and appropriate safety products, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property. Warranty, Limited Remedy, and Disclaimer: Unlessa different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHERWARRANTIES ORCONDITIONS, EXPRESSORIMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESSFOR A PARTICULAR PURPOSE, ORARISING OUT OF A COURSEOF DEALING, CUSTOM, ORUSAGEOF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price. Limitation of Liability: Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or businessopportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.

Authorization to Use

Ensureproducts meet all applicable specifications, standards, and maintenance manual requirements for the platform being worked on and validate all aircraft approvals against current technical documentation

Automotive & Aerospace Solutions Division

3M Center

St. Paul, MN 55144-1000 1-800-235-2376 www.3M.com/aerospace

3M United Kingdom PLC 3M Centre, Cain Road Bracknell RG128HT Bershire +44 (0) 845 6025 237 www.3M.co.uk

3M France

1Parvis de l'Innovation, 95000 Cergy, France Tel: +33-1-30-31-61-61 www.3Mfrance.fr 3M Germany Carl-Schurz-Straße 1,41460 Neuss +49-2131-140 www.3Mdeutschland.de

3M Canada 300 Tartan Dr, London, ON N5V 4M9, Canada +1-519-451-2500 www.3Mcanada.ca

3M Brazil Via Anhanguera, s/n - Nova Veneza, Sumaré - SP, 13181-900, Brazil +55-800-013-2333 www.3M.com.br 3M Japan Limited 6-7-29 Kita-Shinagawa, Shinagawa-ku, Tokyo 141-8684, Japan +81-3-6409-3800 www.3Mcompany.jp

3M China 8 Xingyi Rd, Hong Qiao, Changning District, Shanghai, China www.3M.com.cn

3M India

UB City, Block Concorde, 24, Vittal Mallya Road, KG Halli, Shanthala Nagar, Ashok Nagar, Bengaluru, Karnataka 560001 1-800-425-3030 www.3Mindia.in